Enderbury	Mammals
Novenber 16-20, 1963 Nov. 16, 1963	(Sibley) Summary: "Cats only - one per night - jumpy." (Bratley) Saw four cats which were very scared.
July 11-16, 1963	(Sibley) Summary: Cats not seen for first two nights and then 2-3 seen each night thereafter.
February 29, 1964	(Huber): "and chased one cat down."
March 2, 1964	(Sibley) Summary: "One cat run to death."
July 14, 1964	(Sibley) "Huber shot one of two cats seen. A third cat seen during day in Red-footed Booby Colony."
July 15, 1964	(Sibley): "Huber killed one yellow female in buildings near lighthouse by digging it out. I killed one gray female (6 developing fetuses) near the tern colony. It ran only a short way before giving up."
July 16, 1964	(Sibley) Pers. com no cats seen.

October,	1964
----------	------

(Sibley) No cats seen.

Feb. 12-17, 1965	(Hackman) "During the first portion of the island survey two dead birds were found on which the breasts had been eaten off. No other parts of these two birds had been eaten off. This looks suspiciously like the work of a cat."
May 30-June, 1965	(Fleet) Spam Island - collected 8 rats <u>Rattus</u> <u>exulans</u>
Oct. 1-3, 1965	No mammal report at all
April 1966	Reports that previous SIC trips have exterminated all mammals from island.

Birds-annotated list

WEDGE TAILED SHEARWATER

July 16, 1964 : Sibley -- "Saw a pair of Wedge-tailed Shearwater on guano mound one light and one dark. Start of a burrow."


July 14-17, 1964 ----- Sibley summary : " A light and a dark phase bird were seen

excavating a burrow in the guano heap on the 16th and the dark

phase bird was banded the next night. "

HA- February 12-16, 1965: Hackman - summary; 1 seen offshore at dusk on February 16

none seen on any other trip trhough SIC # 89711



	10(4) Cithia	
	1964Sible	
		unmary: 6 counted on an island circuit.
none	scen on	2,4,5,89,11



none See 2,3,4, 6,7,89,11

July 14-17, 1964 ----- Sibley summary : " 2 seen on 3 occasions. "

Birds-annotated list


4

.

ENDERBURY

CRESTED TERN







birds ----- ennotated list ENDERBURY COMMON NODDY TERN July 11-16, 1963 ----- Sibley: " 150-200 birds on islands in lagoon. 12-15 nests half with eggs, half with young. Islands up to an acre in size provide large areas of suitable habitat for tern nesting. " Nov. 16-20, 1963 ----- Sibley: " Estimated 300 adults -- all in central lagoon area. 7 nests with eggs, and 17 young. Nov. 19, 1963 ----- Sibley: "Common noddies on 6 islands and 3 islets." Feb. 27- Mar. 2, 1964- Sibley: "Estimated 200 - 9 nests with eggs on small islands in lagoon." adults 50 -----July 14-17, 1964 ----- Sibley summary : " 100-200' nest, on islands in lagoon. No nests on main island, " #? November 9-12 1964 --- Sibley summary: "4 nestlings banded. Estimated 150 birds. Estimated 15 nests with eggs, 8 nestlings." February 12-16, 1965 -- Hackman, Su mary: 200 birds roosting and nesting on islæts in the lagoon. 26 nests with eggs, 11 with small chicks, 7 with large

nestlings.

144


May 30-Junel, 1965 - Sibley, summary: Estimated 500 adults. 1 collected. Eggs and young present. } 7 Tal of 30 mote FCS

all nests in lagoon on islands.

9 Octi-3(1965 - Fleet) none peen)


Common Nodry Sic 11 Enderbury clotand Feb 15, 1966 (Crossin) about 100 were abserved lagoon and on the paith end. No mesting. was in progress.





in trees although one pair was seen on rocks at Southern end. no evidence of neeting. Jean 5 pair)

Sicil FAIRY TERN Enerbury deland Feb-15, 1966 (Crossin) - 2 induiduals noted.



birds ----- annotated list

ENDERBURY

SCOTY TERN

July 11-16, 1963 ----- Sibley: "Large flocks just starting to set down on the ground.

On the 13th could find only a few to band. On the 15th the ground Est 2000 FCS was covered with 100's of birds. One colony between lagoon and

guano heap. Another on area of coral rubble at south end of island.

Nov.16-20, 1963 ----- Sibley: "Large flocks in evening over island (3000 *)

As many as 500 sitting on ground during the day but none at night.

Feb. 27- March 2, 1964 - Sibley: " Up to 7000 to 10,000 birds over island. Several

July 17, 1964 ----- Sibley : (At night) "Terns were all on eggs and sat

very tightly. "

July 14-17, 1964 ---- Sibley summary : "40 blood samples, 4 collected. 2500

Estimated 15,000 eggs F(5

banded. 3 colonies totaling 50,000 at night, about two half that or less in the day. All three colonies on fresh eggs. A small group with 60 young about to fledge had nested in the lagoon area. "

November 10, 1964 ---Sibley: "One fresh (still wet) egg found in large

group..."

November 11, 1964 ---Sibley: "Estimated over 3000 in 3 scattered groups. A few nestlings still left. A number of immatures #

still left."

November 9-12 1964 --- Sibley summary: "2 collected, 51 banded, 20 blood

samples. Estimated 10,000. About 3,000 on ground.


1 fresh egg. Numerous immatures and a few nestlings." $(10 \pm Fcs)$

February 12-16, 1965 --Sibley, Hackman, summary: estimated 85,000 plus in 5 colonies all with freshly hatched chicks and e.gs. 2 collected. 4351 banded, 10 returns.

February 12, 1965 - Hackman, species account: 50 blood samples fromm. a small colony on the south end of the island. This colony, about 1,000 birds, had young just emerging grom eggs late in the afternoon. Birds were captured with nets from the fringe of the colony. Hermit crabs were observed attacking several chicks before they had completel emerged from their eggs.

Feb. 12-16: Total population 85,000 plus in 5 distinct colonies: e on south end of island, 3 along west shore on north end of island. 4 groups with eggs and freshly hatched chicks, 1 group with $\frac{1}{2}$ -3/4 group mestlings. 4351 banded, 10 returns. Almost all adults banded were captured with hand nets. After the initial time the colonies were not entered because of an extremely high mortality rate among freshly batched chicks due to large numbers of hermit crabs. How out first Feb. 12 - sampled aloo birds for 50 samples - south end of island.

on the north end of the island. By using nets we were able to band 600 _dults before dark. After dark we tried picking bilds up off of their nests but the moon was far too bright so we returned to our nets and did an additional 300 birds. It wasn't long before we reakized that only one small part of the colony near the guano yeap was actually on eggs. Most of the birds were on freshly attched chicks, shich rapidly rell prey to the very abundant Hermit Crabs. Once this was discovered we quickly finished up the loose bands and moved out of the colony completely.



May 31, - Sibley, species account: O e large group (5,000) on ground. Several

other groups circling various areas of the island. Soveral immatures still present around the guano heap. 900 banded, 19 returns. Estimated 30-40,000 in various flocks.

SOOTY TERI

ENDERBURY

KANNA MANA

page 3

A A A A A A A A


Oct 1-3, 1965 (Fleet) - colony - almost all were flying immatures (about 4000) saw Lot flying over (BAH) at end of breeding cycle, all nestlings appear able to fly. 3000-4000 locals present. Many - second adulte at night Colony mostly m lida .



1963 2440 1961 240 1965 500 2/10


SOOTY TERN SIC11 Enderbury cleand Eek 15, 1966 (Crossin) - Swuls of up to 5,000 were noted just behind the light house on evenings of 14 × 15 Feb. about 200 more noted sitting on the west share of the layoon. Not yet with eggse






(BAH) - saw 2 individuals - no-evidence of nesting

BLUE GRAY NODDY TERN SICII Enderbury cleand Feb 15, 1966 (Crossin) - Two birds noted on West pide of the islands



SIC 11 Pautaie Duck. Enderbury Island Filis, 1966 (Crossin) 3 seen in monthern most pond m center of aslands, all appeared to be females.



birds ----- annotated notes

HAWAI IAN NODDY TERN

July 11-16, 1963 ----- Sibley: "Nesting and roosting in grove of trees around Estimated guano heap. 50 some nests, a few with chicks. 158 adults of 500 F(S) 500 * banded.

Nov. 16-20, 1963 ----- Sibley: "Estimated 1000. All concentrated in trees near

guamo heap. 2 nests with eggs. "

Feb. 27- Mar.2, 1964 - Sibley: " Estimated 1500. 15 nests with 1 egg, 1 with

small young. All located in Cordia grove near guano heap.

Feb. 28, 1964 ----- Clapp: " Northern black noddy colony(750-1000 birds) contained

15 nests with eggs. (apparently quite heavily incubated.) There

was also a young bird near fledging. "

July 14-17, 1964 ----- Sibley summary : "600-1000. Spend all day at sea and then return in flocks of 100 or more just before dusk.

No nesting. "

November 9-12 1964 ---Sibley summary: "16 adults and 4 nestlings banded.

Estimated 700 adults. 16 nests with 1 egg, 4 nestlings!

February 12-16, 1965 - Hackman, summary: estimated 4,000 roosting in Cordia near guano heap. 15 nests with eggs. 1 small nestling and 14 adults banded. February 13 - Hackman: At dusk tonight the Hawaiian Noudy Terns came in off of the ocean in large low-flying flocks numbering between 50 and 500 birds. Flocks were still coming in bong after the last light of the sun had faded.

May 30-June 1, 1965 - Sibley: summary: Estimated 800-1000. 3 collected, 2 band returns. All roosting in Cordia grove. 2 hests with eggs. 4 other banded birds seen.

Sictil Hawina Modely Tern Enderbury cloland /Fil 15, 1966 (Crossin) about 500 were roosting un the Cordici grove on Now. side of island, Old nests were present but no current nesting was in progress. Ster, Oct 1-3 1965 (Fleet) 10egg - 8 mestlengs Deen. Many posting burde present. On Oct 2 - nicaflock of about 2000 birdes. """ " (BAH) less than 15 breeding in buches near the grans- pile.

birds ---- annotated list

GRAY BACKED TERN

July 11-16, 1963 ----- Sibley: "scattered nesting colony near Sooty colony at Estimated northern end. Several hundred nests. 5-10 chicks, rest of 500 FCS

birds on eggs --"

Nov. 16-20, 1963 ----- Sibley: "Common in lagoon -- very few outside this area.

27 bandable young. found. No eggs. 26 nestlings banded.

Estimated 3,000 birds roosting on islands and salt pan in lagoon."

Nov. 19, 1963 ----- Sibley: " Grey backs on 1 island and 1 islet. "

/Feb. 27-Mar. 2, 1964 - Sibley: "Istimated 200 - 3 sggs on small islands. "

July 14-17, 1964 ----- Sibley summary : " 100-150 with eggs and 200 young

about to fly. All these nests on the main island. A few

others on lagoon islands. 1500 adults est. "

 November 9-12 1964 ----Sibley summary: "5 adults and 1 nestling banded.
 Estimated 1,000. Less than 20 nests with eggs. Only the 1 nestling seen."

February 12-16, 1905: -- Hackman, Summary: 500 along east shore of Ligoon, a

few on eggs.

/February 15, 1965 : -- "we did not find any Gray-backed Tern nests on the islats in the lagoon.

May 3C-June 1, 1965 - Sibley, Summary: Estimated 1,000. 80 adults and 20 nestlings banded. 3 collected. 100 mat w form + c.5

/May 31, Sibley- species account: Scattered colonies - all outside the lagoon islets. 80 adults and 20 nestlings banded. 3 collected, estimated 1,000.


9. Oct 1-3, 1965 - (Fliet) about 50 adults seen near RTTB houses. (BAH) - small group of 50 buids on flat area near while of island.


GRAY BACKEDTERN SICI Enderbury cloland Fit 15, 1966 (Crossin) - estimated 2,000 bride area. Two nexts with eggs were found on the 14 Feb.



ENDERBURY birds ----- annotated list BRISTLE THIGHED CURLEW July 11-16, 1963 ----- Sibley: " maximum of ten at one time. (total population 2 est 30 to 4 times as many.) 3 Nov. 16-20, 1963 ----- Sibley: " flock of 10 -- estimate 30" 4 Feb. 27- Mar. 2, 1964- Sibley: "count of 30." July 14-17, 1964 ----- Sibley summary : "Maximum of 10 at one time. 15-20 on island. " Nov. 9-12 1964 -----Sibley summary: "Estimated 40, 1 banded." February 12-16, 1965 -- Hackman, summary: 44 counted on an island circuit Nay 30-June 1, 1965 - Sibley, summary: present 20?? no count made - flock of 16 seen. Oct 1-3, 1965 (Fleet) shorline count phowed 64. 11 " " (BAH) - "a good number present, but epreadout" One bid caught that was extremely emaciated.

· · · · · Sie 11 BRISTLE THIGHED CURLEW Enderbury deland Elt 15, 1966 (Crossin) thinly distributed over entire island (Count - 35)





" " (BAH) -" saw less than 15 individuals."

· · · SIC 11 Wandering Tattler Enderbury cloland Feb 15, 1966 (Crossin) - thinly distributed over entire island. (Count-74)



RUDDY TURNSTONE Siell Enderbury desland Eet 15, 1966 (Crossin) - Found most commonly along The lagoon and share lines, but small flocks and singles were noted aver must of the island, (Count-627)



birds ----- annotated list ENDERBURY RUDDY TURNSTONE July 11-16, 1963 ----- Sibley: "maximum group of 12 seen. (total population probably 2 to 4 times as many.)" Est 36 flock Nov.16-20, 1963 ----- Sibley: *coant of 30 - estimate 60" Feb. 27- Mar. 2, 1964 - Sibley: "count of 201" July 14-17, 1964 ----- Sibley summary : " 200 plus or minus. One flock of over 100 birds on the reef. " July 15, 1964 ----- Hackman : " Shorebirds were abundant for some reason. Ruddy Turnstones were observed in flocks ranging in size from 8-100. " Nov. 9-12 1964 -----Sibley summary: " Estimated 350 - count 219 on shore February 12-16, 1965 - Hackman, summary: 553 counted on an island circuit. May 30-June 1, 1965 - Sibley, Summary: present 60??

9 Oct 1-3, 1965 (Fleet) shorebuid count = 302 (in 2 sections) " " (BAH) - "not too common"

no count made - Present in moderate numbers. Flocks of 5-10seen several times

ENDERBURY		birds annotated list
GOLDEN PLO	VER	
2 July 11-16	, 1963 Sibley: " groups	of 8-10 seen regularly (Total population
	2 to 4 times as many) "	E51, 30
3 Nov. 16-20	1963 Sibley: " all sho	rebirds uncommon - Estimated 30. "
4 Feb. 27-Ma	rch 2, 1964 - Sibley: " count	of 109"
5 July 14-17,	1964 Sibley summary : "	10 plus or minus. Maximum of three at
nonnormalistic anne anno mar ann an an ann ann ann ann ann ann ann	one time. "	na na manya manana manana . Taka a prasa manana jara na mana makanana manana manana manana mana m
nonnennessense en seguennen tessa - so sa antesense da aposto	one time. " 964Sibley: Count 1	na na manya manana manana ina a propinsi ang
Nov. 11, 19	one time. " 964Sibley: Count 1 lagoon at this time b	22 - along shore only - very few in ut large numbers present inland."
Nov. 11, 19	one time. " 964Sibley: Count 1	22 - along shore only - very few in ut large numbers present inland."
Nov. 11, 19 November 9-1	one time. " 964Sibley: Count 1 lagoon at this time b 12, 1964Sibley summar	22 - along shore only - very few in ut large numbers present inland." y: "Estimated 200"
November 9-1 November 9-1 February 12-16 Hackman- Su	one time. " 964Sibley: Count 1 lagoon at this time b 12, 1964Sibley summary , 1965 mmary: 78 counted on an island	22 - along shore only - very few in ut large numbers present inland." y: "Estimated 200" circuit.
November 9-1 November 9-1 February 12-16 Hackman- Su	one time. " 964Sibley: Count 1 lagoon at this time b 12, 1964Sibley summar	22 - along shore only - very few in ut large numbers present inland." y: "Estimated 200" circuit.

.

X May 30-June 1, 1965 Sibley, summary: present 30??

no count made - present in small numbers.

Oct 1-3, 1965 (Fleet) - shorebild count = 89 in 2 sections " " (BAH) absent around lagoon areas The birds present were primarily in the Securium flate.

S'ic 11 GOLDEN PLOVER Enderbury cloland Feb-15, 1966 (Crossin) distributed thinly over island, concentrations on east phoreo (Count-544)



birds ----- annotated list

LESSER FRIGATE

July 11-16, 1963 ----- Sibley : " Restricted to 4 or 5 more or less continuous

Estimated 15,000 groups between lagoon and house. As on Howland, colony packed in wing to wing with only a few sticks or grass for nests. Feet too small for 7B band. One nest in with Great Frigate colony --- about 2 ft. up in tree. Complete nest count taken: 3674 nests with eggs,

1256 nests with chicks. Total 4930.

Nov. 15-20, 1963 ---- Sibley : " Adults uncommon as for minor. Concentrated along

SW corner of lagoon. Estimated 1300 large nestlings, 1 small nestling, no eggs. 1138 nestlings banded. No frigates were seen chasing any boobies although a few were seen feeding with

Brown Boobies."

100 Ad. FC5

Feb. 27- Mar. 2, 1964 --- Sibley: "Estimated 500 (mostly immatures) 4 nests with eggs on 28th, 4 more on the 1st. at the edge of the Great Frigate colony -- a stick nest instead of the usual bare ground laying. <u>387 bands recovered (95% accurate.)</u>

July 14-17, 1964 ----- Sibley : "Two large colonies. One near the Greater

Frigate colony and the other behind the house. First had numerous young (4000 nests) second had mostly eggs (1000 nests) Estimated 15,000 adults. Nests in some cases identical to those of low nesting Greater Frigates. 10 blood sample.
July 15, 1964 ------ Hackman, : " There were considerably more Lesser Frigates with elevated nests on the edge of the Greater Frigate colony than were observed on the last trip. The nests, pedestal like in form, are all about 1 foot high. "

LESSER FRIGATEBIRD (2)

November 11, 1964 ---Sibley: "500 nestlings banded in colony near Great Frigatebird colony on W side. Estimated 1,000 nestlings here. 800 in group near house. A few nests found in <u>Messerschmidia</u> trees."

Nov. 9-12 1964 ---Sibley summary: "89 adults, 1011 nestlings banded. Estimated 1800 nestlings, 20 nests with eggs. 6000 adults and immatures."

Feb. 12-16 Hackman, Summary: Not nesting at present. Estimated 500 adults 1965 and immatures using the island at present.

February 13, Hackman spedies account: About 200 adults and immatures flying around island. No nesting activity observed.

May 30-June 1, 1965 - Sibley, summary: 40 blood samples. Estimated 4000 nests, 50/50 eggs and young. May 31 - Sibley, species account: Two jars of egg white collected. 1000 plus

birds in colony just east of the Greate Frigate colony. E_astern part on fresh e gs. Western part on fresh eggs. with chicks. Ne ts 4 plus feet apart. Estimated 4000 nests, half with nestlings. Numbrous fresh @ggs found.

Oct 1-3, 1965 (Fleet) - neat count (493 nests) 11 11 BAH - Caunt showed approx 500 nestlings.

Sicil Lesser Fujate Enderbury deland Feb-15, 1966 - (Crossin) - 300 flying immatures present scattered about the west end of the Great Frighte colony. Roosted mainly on the Sound or low vegetation . 3 adults seen might of the 14th one of had an enlarged throat patch .



birds ----- annotated list

GREAT FRIGATEBIRD

500

Estimated , do

July 11-16, 1963 ----- Sibley: "large colony in open patch of trees. Scattered

in dividuals over rest of "green pasture" area. Small stick nests. 955 nestlings banded. Males with considerable white on chest. Feet

often too small for 7B band. Complete nest count made -- 665 nests

with eggs, 735 with chicks, 955 nestlings. Total 2355.

Nov. 16-20, 1963 ----- Sibley: "Adults uncommon. About 1/4 enough (for number

of) nests seen. Concentrated in large colony on West Side with a

few scatterred around the island. Nest survey -- 46 nests with eggs,

none with small young, 387 large young, (63 of these still in

white down Q. 2 immatures and 356 nestlings banded.

Feb. 27-Mar. 2, 1964 - Sibley: "Estimated 1500-2000. 77 nests with eggs, 1 small

young, 1 large young. 100's of fresh nests. Males with throat

pouches inflated. 2 returns and 19 recoveries." Feb. 28, 1964 ----- Clapp: " census run of Greater Frigate colony. Most nests

> contained nothing and the majority of males had expanded throat pouches. " "One newly laid frigate egg laid in nest in trees to " (Laid since out arrival and the first nest in this southeast.

particular area to produce an egg.

July 14-17, 1964 ----- Sibley summary : "Scattered colonies all along west side

with the major colony at the tree clump on west side. Most of

	ortulaca,	or other slig	nly a few inches ht elevation. 50	
		Ar	ea 2	
	Area 1		Rest of area	Total
l egg	333	785	86	1204
young	308	_ 600	40	948
	641].	1385	126	2152

Estimated 5000 adults.

^BNDERBURY ______ GREAT FRIGATE ______ 2
July 15, 1964 _____ Hackman : " Found an abnormal Greater Frigate egg while making the nest survey. The egg was about 1/3 normal size and was oval rather than the normal oblong shape. The egg was broken open and found to have no yolk. A male had been tenaciously sitting upon the egg. "
Nov. 11, 1964----Sibley: "...large colony on west side. Numerous immatures present..."
Nov. 9-12, 1964 ---Sibley summary: "2 collected, 20 blood samples, 500 nestlings banded. Estimated 3,000. 19 nests with 1 egg, 1115 with young, over 1,000 immatures."

Feb. 12-16, 1965 --- Hackman Summary: 1310 nests with eggs, 21 nests with small nestlings. Many eggs pipped. Estimated 6,000 adults and immatures. 293 banded and marked with plastic streamers on each wing (blue on right wing and white on left) 2 band returns also marked with streamers).

F_bruary 13, Hackman: blood sam led 25 Greater Frigatebirds...The Greater Frigatebirds are on fresh eggs in the main colony and in the smaller colonies that are located in the interior along the south eend of the lagoon. There are few nestling frigatebirds on the island.

/May 30-June 1 / Sibley Summary: 30 blood samples, 3 collected. 825 nests with eggs, 952 with young. Estimated 4000 birds.


Sibley - species account : May 30 - nest count southern third of island (i.e. south from lighthouse around to area on east shore opposite house) 173 nests with eggs, 185 ith small young, 18 with large young plus 11 other nests May 31: - house to frigate colony count - 78 nests with eggs, 60 with small young 90 ith large young. May 31 - Sibley, species account: Count of frigate colony - 566 nests with eggs, 373 with small young, 134 with large young.

Count of from Frigate colony to Guano heap: 8 nests with eggs, 33 with small young, 22 with large young.

Two birds with a white streamer on the left wing and a blue streamer on the right wing seen.

Oct 1-3, 1965 - (Fleet) mest count - 1958 - 47 Spinestl-346 Ig.nestl-331

11 "(BAH) - common breeder in bushy aceas near the guano. (Kepler) - Banded (25) great numbers 11 lying over island. Alen



Sie 11 GREAT FRIGATE Enderbury cheland. Feb 15, 1966 - Crossin - concentrated in one calory on W side of island in the Messerschmidia giore. about \$ 5000 int colory - but island pop. probably between 3-4000, 4306 pop: appear to be immatures. That adults are starting their new mesting cycles 75 mests present in man colony - 50 of these had fresh eggs. all nests built in messerschmidia bushes (9) meste present in south end only a few inches from the ground. all contained fresh eggs.

birds ----- annotated list

ENDERBURY

Estimated 1500

5×

RED FOOTED BOOBY

July 11-16, 1963 ----- Sibley: " A common species restricted to various groves of

trees where it roosted and nested. Most white with gray wings and back. Some all grayish brown. Considerable variation of white with gray pattern. Foot too small for 7B band. 318 nests with one egg, 209 nests with chick, 49 with nestlings (large enough to band)

total (576)

Nov. 16-20, 1963 ----- Sibley: "Common in various clumps of trees. 41 nests with eggs, 40 nests with small young, 217 large young. Total (298) Estimated 1200-1500 adults. 140 immatures, 3 subadults, and 217 nestlings

banded.

Feb. 27-Mar.2, 1964 - Sibley: " Estimated 500* - 27 immatures banded. 34 immature

returns. No nesting. Roosting birds distributed as during nesting.

July 14-17, 1964 ----- Sibley summary: Distributed as on previous trips.

222 adults and 209 nestlings banded with 84 87 returns and

2 recoveries. Nest Count.

Southern tree Frigate colony Guano Total

		clumps	west side	heap		
	l egg. small young large young	70 88 159	33 47 49	10 9 40	113 144 <u>248</u>	
	total	317	129	59	505	
773			· · · ·			

Estimated 1500 adults.

Nov. 9-12, 1964 -----Sibley summary: "2 collected, 20 blood samples. 63 adults, 35 immatures and 225 nestlings banded. 44 adult and 24 immature returns. Estimated 800 birds on the island. 34 nests with 1 egg, 29 nests with small young, 229 nests with large young." FINDERBURY

PED*FOOTED BOOBY

February 12-16, 1965 G- Hackman, Summary : 185 nests with eggs, 150 nests with young. 369 banded, 248 returns. Estimated 1200. F bruary 12 - Hackman (species accounts): 320 nests (185 with eggs, 150 with chicks).

Nests on Enderbury contained ir esh cuttings of Cordia, both blossoms and leaves/

May 30-June 1, 1965 - Sibley, Summary: 20 blood samples. 159 banded, 129 returns. E_timated 1000-1200 adults. 202 nests with eggs, 189 with young. May 30, 1965 - Sibley (species accounts) -"southern colonies" 1 egg (94) small young (32), large young (123). 20 blood samples, 8 returns. May 31, 1965 - Sibley (species account): Nest count completed. "Great Frigate colony area - 1 egg (66), small young (5), large young (15). Guano heap colony " - 1 egg (42), small young 6), large young (8). Banded the above two colonies after dark. 17 neutlings, 12 immatures, 2 subadults and 128 adults banded. 90 adult, 22 immature and 9 subadult returns.

Oct 1-3, 1965 (Fleet) nest count (- less - 12) sm. nestl - 21 one adult defended (ly nestl - 178 its nest when approached. 11 " (BAH), - a very common breeder in the presently buch covered areas as well as in areas great frigate mestling.

ter f Sic 11 Red Footed Booly Enderbury desland Feb 15, 1966 - (Crossin) - present in three different concentrations - O SE side of lagoon OW side of lagoon in messerschmidia grove, miled with Speat Frigates (450 present here) Only about 25 pair had nestsall with eggs. 3 third small poup of 100 hude in Cordia grove 12 nests with eggs presente

Audubon Shearwater

6 November 10, 1964 ----Sibley: "Two seen at dusk coming ashore."

February 12-16, 1965 --- Hackman, summary: Four birds seen (1 collected, 2 banded) on the guano pile on north end of island.

Woodward - Feb. 16, 1965 ---- I found one Audubon's on top of the pile.

Feb. 13, 1965 --- Huber banded 1 Audubon's Shearwater and collected one.

May 30 - June 1, 1965 --- Sibley, summary : Two seen.

May 31, 1965 - Sibley: Two seen at 1900 over west side of island.

on Trips 2,3,4,5 [] Seen none

